

TRITC Conjugated AffiniPure Mouse Anti-human IgG (H+L) secondary antibody

Basic Information

| | |
|---------------------------|---|
| Catalog Number | BA1094 |
| Size | 0.5 mL |
| Concentration | 1 mg/mL |
| Ig Type | IgG |
| Immunogen | Human IgG (whole molecular) |
| Host | Mouse |
| Purity | The antibody was purified from antiserum by immunoaffinity chromatography. |
| Conjugation | TRITC |
| Fluorophore | Amax=550nm; Emax=620nm |
| Form | Concentrated, Liquid |
| Tested Application | IF, Flow Cytometry |
| Contents | 0.5 mg of TRITC conjugated specific antibody (purity is above 99%), TRITC: Ab = 4-6 : 1, 0.01M PBS, 5mg/mL BSA, 50% glycerol. |
| Specificity | This TRITC conjugated antibody is specific for human IgG and shows no cross-reactivity with bovine/mouse/rat/goat IgG. |

Suggested Working Concentration

Immunofluorescence: 10-20 µg/mL

Flow Cytometry: 10-20 µg/mL

Optimal working dilutions must be determined by end users.

Application Notes

Please centrifuge before use and dilute with neutral PBS or TBS.

The diluted solution should be used on the same day. Any unused solution should be discarded.

Storage

At -20° C for one year from date of receipt. Avoid repeated freezing and thawing.